




Electrofusion fittings/Welding fittings

Electrofusion coupling ITEM 159

Ref.	Description	Net Weight	Vol. (m ³)	Gross Weight	Units Box
1019051	ELECTROFUSION COUPLING 20	0.036	0.02244	2.28	50
1019052	ELECTROFUSION COUPLING 25	0.040	0.02244	2.51	50
1019053	ELECTROFUSION COUPLING 32	0.061	0.02244	3.56	50
1019054	ELECTROFUSION COUPLING 40	0.086	0.03129	4.90	50
1019055	ELECTROFUSION COUPLING 50	0.099	0.00892	1.18	10
1019056	ELECTROFUSION COUPLING 63	0.186	0.01553	2.19	10
1019057	ELECTROFUSION COUPLING 75	0.251	0.02244	3.00	10
1019058	ELECTROFUSION COUPLING 90	0.390	0.03129	4.47	10
1019059	ELECTROFUSION COUPLING 110	0.589	0.01553	3.27	5
1019060	ELECTROFUSION COUPLING 125	0.794	0.03129	4.55	5
1019061	ELECTROFUSION COUPLING 140	1.170	0.03682	6.40	5
1019062	ELECTROFUSION COUPLING 160	1.424	0.04117	6.33	4
1019063	ELECTROFUSION COUPLING 180	1.946	0.04880	8.36	4
1019064	ELECTROFUSION COUPLING 200	2.341	0.03129	5.26	2
1019065	ELECTROFUSION COUPLING 225	3.883	0.04460	8.50	2
1019066	ELECTROFUSION COUPLING 250	4.688	0.06879	9.97	2
1019067	ELECTROFUSION COUPLING 315	8.990	0.04117	9.63	1
1019070	ELECTROFUSION COUPLING 355	14.230	0.06347	15.07	1





ITEM 159 | Electrofusion coupling

Código	f tubo-A	Peso (g)	B	C	D	PN	MEDIDA
19051	20	54	34	33	70	PN16	MÉTRICO
19052	25	60	34	38	70	PN16	MÉTRICO
19053	32	72	34	46	70	PN16	MÉTRICO
19054	40	100	41	55	84	PN16	MÉTRICO
19055	50	136	42	67	87	PN16	MÉTRICO
19056	63	194	48	83	97	PN16	MÉTRICO
19057	75	287	59	98	122	PN16	MÉTRICO
19058	90	421	71	113	145	PN16	MÉTRICO
19059	110	697	76	134	155	PN16	MÉTRICO
19060	125	738	81	154	164	PN16	MÉTRICO



ITEM 159 | Electrofusion coupling

19061	140	968	96	170	195	PN16	MÉTRICO
19062	160	1390	97	200	197	PN16	MÉTRICO
19063	180	1750	100	215	202	PN16	MÉTRICO
19064	200	2305	100	240	202	PN16	MÉTRICO
19065	225	3193	90	280	180	PN16	MÉTRICO
19066	250	4210	110	315	220	PN16	MÉTRICO
19067	315	8000	110	400	220	PN16	MÉTRICO



PRODUCT DOCUMENTS



PRODUCT CERTIFICATES

COMPANY CERTIFICATES

